

//  
//

( )

\*

---

( 311) narrow – band UVB (UV)

%

:

UVB

/ ±

( )

:

/ ± /

(PASI score)

(MED)

(MED )

PASI score

:

(% )

MED

:

:

---

%

(.)

(UVR)

---

Parrish ( )

PUVA

Parrish

( ) Trehan Taylor

Jaenicke

UVB

UVB

( ) MED

narrow-band UVB

PASI

PUVA

( )

( )

UVR

( )

narrow-band UVB

UVB

hand piece

( )

( )

( )

Asawanoda

( ) stable

/

MED

( )

( )

( )

broad-or narrow-band UVB

/ ±

PUVA

MED

/ J/cm2

J/cm2

MED

/ J/cm2

HIV

MED

MED

PASI score

/ ± /

MED

/ ± / / ± / / ± /

/ ± /

(P < / )

PASI score

induration

)

(MED

MED

PASI score

MED

( ) ( )

PASI score

%

(remission)

( ) ( )

( )

SPSS

Paired t-Test

PASI score

Mann-Whitney Mantel-hanszel

/

P < /

PASI score

/

Fitzpatrick

T cell MED  
 .( ) MED MED  
 .  
 clearance UVB PASI score  
 induration scale  
 % %  
 ( Mann-Whitney )  
 .( )  
 % .( mantel-hanszel ) PASI score  
 % clearance  
 . PASI score .  
 % / ± / / ± /  
 acitretin  
 %  
 .( )  
 ( ) Asawadona  
 .  
 ( )  
 Trehan  
 % UV

/

---

PUVA / PASI score  
 / / / PASI score

PUVA ( ) ( / ) PASI score  
 PASI score

MED ( )

Palmoplantar PASI score clearance

PASI score

stable MED  
 MED

MED

remission

## REFERENCES

---

1. Trehan M, Carles R, Tatkir CR. Medium dose 308-nm excimer laser for the treatment of psoriasis. *J Am Acad Dermatol* 2002; 47(5): 701-8.
2. Trehan M, Taylor CR. High-dose 308-nm excimer laser for the treatment of psoriasis. *J Am Acad Dermatol* 2002; 46(5): 732-7.
3. Rodewald, Housman TS, Mellen BG, Feldman SR. The efficacy of 308 nm laser treatment of psoriasis compared to historical controls. *Dermatol online J* 2001; 7(2): 4.

- 
4. Asawanonda P, Anderson RR, Chang Y, Taylor CR. 308-nm excimer laser for the treatment of psoriasis: a dose-response study. *Arch Dermatol* 2000; 136(5): 619-24.
  5. Feldman SR, Mellen BG, Housman TS, Fitzpatrick RE, Geronemus RG, Friedman PM, et al. Efficacy of the 308-nm excimer laser for treatment of psoriasis: results of a multicenter study. *J Am Acad Dermatol* 2002; 46(6): 900-6.
  6. Taneja A, Trehan M, Taylor CR. 308-nm excimer laser for the treatment of psoriasis: induration-based dosimetry. *Arch Dermatol* 2003 Jun; 139(6): 759-64.
  7. Mafong EA, Friedman PM, Kauvar AN, Bernstein LJ, Alexiades-Armenakas M, Geronemus RG. Treatment of inverse psoriasis with the 308 nm excimer laser. *Dermatol Surg* 2002; 28(6): 530-2.
  8. Levell NJ, Shuster S, Munro CS, Friedmann PS. Remission of ordinary psoriasis following a short clearance course of cyclosporine. *Acta Derm Venereol* 1995; 75: 65-9.