

/ / ()
/ / : :
/ /

A₂

HbGold

*

HbA₂

HbGold

EDTA

RDW-CBC

HbGold

HbGold

% /

% / /

/

HbGold

%

%

HbGold

/

HbGold

A₂

()

CBC

()

HbA₂

()

CLIA 88

International committee for
standardization in hematatology(ICSH)

HbA₂

(SRID)

HPLC

HbA₂

HbGold

()

HbA₂

" "

EDTA

RDW CBC

HPLC

EDTA

()

HbGold

National committee for

H9-A

clinical laboratory science (NCCLS)

HbA₂ < % / % / RDWHbA₂

(MCV/RBC) Mentzer

HbGold

MCV

RBC

HbA₁C

HbGold

HbA₂

()

EDTA

) HbGold

(

Clinical laboratory improvement amendment 88

Intra-assay within-run

: (CV-WR)

EDTA

within-run

CV . % / CLIA

HbA₂

CV Interassay between-run

EDTA

: (CV-BR)

DE52

EDTA

% / HbA₂ Interassay /
 :
 A split


HbA₂

HbA₂

	CV	A ₂			
% / /	HbGold	HbA ₂	(A ₂	OD/	OD) * /
CLIA	CV
		% /	Minitab 14 linear checker	EZrule 3	WQC 2
					Statgraph 5
	<i>HbGold</i>				
			t-student	passing-Boblock	Deming
	EDTA				Peerson correlation

Difference plot


$\text{r} = / \quad (\% \quad : (\quad) \text{HbGold}$



HbGold HbA₂


bA₂

SE = % /	PE = % /	CE = % /	(Xc) /
CLIA 88			Xc = /
% /	HbA ₂		
% /			
/	MEDx		
Bias(%) = (/ - /) × 100% /			
HbGold	HbA ₂		slope
		(CE)	(PE)
HbA ₂			
(P-P) Probability			
/ /			
HbGold	HbA ₂		
		PE = (-slope) × 100% / = /	
		SE = PE + CE	
		CE = SE - PE = / / = /	
		HbGold	




HbGold

N= AQA = % Normalized OPS pecs



HbGold

N= AQA = % Normalized OPS pecs



$1_{3s}/2_{2s}/R_{4s}/4_{1s}$ HbGold

(IFCC)

International Federation of clinical chemistry

CV

CV-WR

(CVa= / %)

(TEa)

CV

()

Ou

()

()

Sangkiptron

CV

% /

% / /

% / /

HbGold

CV

HbA₂

% /

% /

HbGold

CV

() Keevil

/

CV

(/ /)

TE cal = bias + 3CV = SE + RE = % / + % / = % /
 TE cal = % / < Tea = % / retention time peak tracking
 CV
 () CLIA () Ainley % / / CV
 () Esser CV
 /
 () Miavacca) EDTA
 Normalized OPSpec (/
 / HbGold
 CV Calibrator mixture A₂
 HbGold () HPLC ()
 HbGold
 shelf life
 N= HbGold
 1_{3s}/2_{2s}/R_{4s}/4_{1s} (r= / P< /)
 ()
 Normalized OPSpec (CE) (PE)
 () N= 1_{3s}/2_{2s}/R_{4s}/4_{1s} / / HbGold
 % / /
 Pfr= / % / % /
 ()

window (AQA=%) Analytical Quality Assurance
HbA₂

.()

HbA ₂	/	(ΔSE)
	/	
.()	pH	%
		%

.

	() Brueger	() Deacon-Smith
CV		
		HbGold
.()	CLIA	
A ₂		P _{ed} P _{fr}

.()

HbGold	HbA ₂
	HbA ₂
/ /	HbGold % /
% /	% / .()

REFERENCES

1. International committee for standardization in Haematology. Recommendations for selected methods for quantitative estimation of HbA2 and for HbA2 reference preparation. Br J Haematol 1978; 38: 573-8.
2. Henry JB. Clinical diagnosis and management by Laboratory methods. 21st ed. New York: W.B. Saunders. 2001; P: 568-9.

-
3. British Committee for standardization in Hematology, Guideline. The laboratory diagnosis of hemoglobinopathies. Br J Haematol 1998; 101: 783-92.
 4. National committee for clinical laboratory standards. HgA Chromatographic (microcolumn) determination of hemoglobin A2; approved standard. NCCLS publication H9A .Villanova, PA: NCCLS, 2001.
 5. Tatu T, Gategasem P, Hathirat P. Hemoglobin typing by high performance liquid chromatography. South East Asian J Trop Med Public Health 1997; 28: 417-23.
 6. Ou CN, Rognrud CL. Rapid analysis of Hemoglobin variant by cation- exchange HPLC. Clin Chem 1993; 39: 820-4.
 7. Keevil BG, Maylor PW, Rowlands D. A rapid anion exchange high performance liquid chromatography method for the measurement of HbA2 in whole blood. Ann Clin Biochem (England) 1996; 33: 253-6.
 8. Sangkuptorn S, Pung- amritt P. The validation of an automated liquid chromatography system for the diagnosis of thalassemias and hemoglobinopathies. South East Asian J Trop Med Public Health 2002; 33(4); 826-69.
 9. Ainley MJ, Mathiesson B. Comparison of microcolumn chromatography and laser densitometry of isoelectric focusing strip for the quantitation of HbA₂ and Hbs. Clin Lab Hematol 1988; 10(4):461-5.
 10. Fucharoen S, Winichagoon P, Wisedpanichkij. Prenatal and post natal diagnosis of thalassemias and hemoglobinopathies by HPLC. Clin Chem 1998; 44: 740-8.
 11. Clarke GM, Higgins TN. Laboratory investigation of hemoglobinopathies and thalassemias; review and update. Clin Chem 2000; 46: 1284-90.
 12. Samperi P, Testa R, Mancuso M. Comparative approach to the evaluation of hemoglobin A₂ by two different methods: high performance liquid chromatography and DE-52 microchromatography. Acta Haematol 1990; 83: 179-82.
 13. Deacon-Smith R, Lord I. Hemoglobin A2 Measurement using high performance liquid chromatography. Medical Laboratory Science 1992; 49: 138-40.
 14. Henry JB. Clinical diagnosis and management by laboratory methods. 21st ed. New York: W.B. Saunders. 2001; P: 134-5.
 15. Esser RS, Blight L, Hjelm NM, Chambers K, James D. Automated quantitative microcolumn chromatography of hemoglobin A₂. Biomed Chromatogr 1991; 5(5): 226-8.
 16. Miavacca R, Redschi S. Nonradioactive quantification of low concentrations of hemoglobin A by HPLC for midtrimester prenatal diagnosis of β - thalassemia. Clin Chem 1992; 38(9): 1906-08.
 17. Westgard JO, Stein B, Westgard SA, Kennedy R. QC Validator 2.0:a computer program for automatic selection of statistical QC procedures in healthcare laboratories. Comput Method Program Biomed 1997; 53: 175-86.
 18. Westgard JO, Stein B. An automatic process for selecting statistical QC procedures to assure clinical or analytical quality requirements. Clin Chem 1997;43: 400-3.

-
19. Berndt B, Brueger B, Keenan DH. Quantification of Hemoglobin A2 and identification of hemoglobin variants using a fully automated hemoglobin analyzer. Clinical Biochemistry 1988;21:363-6.
 20. Mario N, Baudin B. Capillary isoelectric focusing and high performance cation exchange chromatography compared for qualitative and quantitative analysis of hemoglobin variants. Clin Chem 1997;43: 2137-42.
 21. National committee for clinical laboratory standards. How to Define and Determine reference intervals in the clinical laboratory; approved guideline. NCCLS publication 28-A2 .Villanova, PA: NCCLS, 2000.