

()

//
//

*

(ICD10)

(% /)

(% /)

(% /)

(% /)T₄₃ (% /)T₄₂

(% /)T₄₀

(% /)

(% /)

(% /)

)

()

% /

% /

% /

(

% /

.()

.()

(Routine data base study)

.()

International Classification of Disease
(ICD10)

.()

/

/

.()

(%)

(%)

(ICD10)

Code		(%)	(%)
T20	Burn and corrosion of head and neck	()	()
T25	Burn and corrosion of ankle and foot	()	()
T26	Burn and corrosion confined to eye and adnexa	(/)	(/)
T28	Burn and corrosion of other internal organs	()	()
T29	Burns and corrosions of multiple body regions	()	()
T35	Frostbite involving multiple body regions and unspecified frostbite	(/)	()
T36	Poisoning by systemic antibiotics	(/)	()
T37	Poisoning by other systemic anti-infectives and antiparasitics	(/)	()
T38	Poisoning by hormones and their synthetic substitutes and antagonists, not elsewhere classified	(/)	(/)
T39	Poisoning by nonopioid analgesics, antipyretics and antirheumatics	(/)	(/)
T40	Poisoning by narcotics and psychodysleptics [hallucinogens	(/)()	(/)
T41	Poisoning by anaesthetics and therapeutic gases	(/)	()
T42	Poisoning by antiepileptic, sedative-hypnotic and antiparkinsonism drugs	(/)	(/)
T43	Poisoning by psychotropic drugs, not elsewhere classified	(/)	(/)
T44	Poisoning by drugs primarily affecting the autonomic nervous system	(/)()	(/)
T45	Poisoning by primarily systemic and haematological agents, not elsewhere classified	(/)	(/)
T46	Poisoning by agents primarily affecting the cardiovascular system	(/)()	()
T47	Poisoning by agents primarily affecting the gastrointestinal system	(/)	(/)
T48	Poisoning by agents primarily acting on smooth and skeletal muscles and the respiratory system	(/)	()
T49	Poisoning by agents primarily acting on smooth and skeletal muscles and the respiratory system	(/)	(/)
T50	Poisoning by diuretics and other and unspecified drugs, medicaments and biological substances	(/)	(/)
T51	Toxic effect of alcohol	(/)	(/)
T52	Toxic effect of other inorganic substances	(/)	(/)
T53	Toxic effect of halogen derivatives of aliphatic and aromatic hydrocarbons	(/)	()
T54	Toxic effect of corrosive substances	(/)	(/)
T55	Toxic effect of soaps and detergents	()	()
T56	Toxic effect of metals	(/)	(/)
T57	Toxic effect of other inorganic substances	(/)	(/)
T58	Toxic effect of carbon monoxide	(/)	(/)
T59	Toxic effect of other gases, fumes and vapours	(/)	()
T60	Toxic effect of pesticides	(/)	(/)
T61	Toxic effect of noxious substances eaten as seafood	(/)	()
	Toxic effect of other noxious substances eaten as food		
T63	Toxic effect of contact with venomous animals	(/)	()
T64	Toxic effect of aflatoxin and other mycotoxin food contaminants	()	()
T65	Toxic effect of other and unspecified substances	(/)	(/)
		()	()

(% /) T₄₂

(% /)

(% /)

() % / T₄₃


(% /)

(% /)

(% /)

(% /)

()



(%)

(%)

(% /)

(% /)

(% /)

T₄₀

(% /)

	ICU						
	/	/	/	/		/	

% /

.()

(Deliberate Self Poisoning)

.()

.()

% /

% /

.()

% /

(% /)

.(

% /)

(% /)

(% /)

%

()

% /

%

.()

%

(/)

%

% /

.()

.()

% /

.() %

/

()

/

% /

/ /
()

/

.()

% /

%

REFERENCES

- <http://www.isna.ir/Main/NewsView.aspx?ID=News-413256>. September 12, 2006
3. WHO. Suicide prevention (SUPRE). Available at: http://www.who.int/mental_health/prevention/suicide/suicideprevent/en. September 20, 2006.
 4. List of countries by suicide rate. From Wikipedia, the free encyclopedia. Available at: http://en.wikipedia.org/wiki/List_of_countries_by_suicide_rate.
 5. Country reports and charts available, World Health Organization, Geneva, 2004. Suicide rates (per 100,000), by gender and age, Iran, 1991. Available at: http://www.who.int/mental_health/prevention/suicide/country_reports/en. September 22, 2006
 6. World drug report 2004, WHO. Available at: <http://www.unodc.org/unodc/en/world-drug-report.html>. September 22, 2006
 7. How can suicide be prevented? World Health Organization. Available at: <http://www.who.int/features/qa/24/en/index.html>. September 2, 2006
- <http://www.isna.ir/Main/NewsView.aspx?ID=News-444656>. September 15, 2006
9. Noorbala AA, Bagheri Yazdi SA, Yasamy MT, Mohammad K: Mental health survey of the adult population in Iran. *Br J Psychiatry* 2004;184:70-3.
 10. Noorbala AA, Mohammad K, Bagheri Yazdi SA: The epidemiological study of psychiatric disorders in Tehran. *J Hakim* 1998;4:212-23.
 11. Mohammadi MR et al. An epidemiological survey of psychiatric disorders in Iran. *Clinical Practice and Epidemiology in Mental Health* 2005, 1:16 doi:10.1186/1745-0179-1-16. Available from: <http://www.cpementalhealth.com/content/1/1/16>

()

13. Reza Alaghebandan, Kayla D Gates, Don MacDonald, Suicide Attempts and Associated Factors in Newfoundland and Labrador, 1998-2000. *Can J Psychiatry* 2005; 50:762-8.
14. Phillips X, Li Y, Zhang. Suicide rates in China, 1995-99. *The Lancet*, Volume 359, Issue 9309, 9 March 2002, P: 835-840.
15. Schmidtke A, Bille-Brahe U, DeLeo D, Kerkhof A, Bjerke T, Crepet P, et al. Attempted suicide in Europe: rates, trends and sociodemographic characteristics of suicide attempters during the period 1989-1992. Results of the WHO/EURO Multicentre Study on Parasuicide. *Acta Psychiatr Scand*. 1996;93(5):327-38.
16. Devrimci-Ozguven H, Sayil I. Suicide attempts in Turkey: results of the WHO-EURO Multicentre Study on Suicidal Behaviour. *Can J Psychiatry*. 2003;48(5):324-9.
17. Fathelrahman AI, Ab Rahman AF, Mohd Zain Z, Tengku MA. Factors associated with adult poisoning in Northern Malaysia: a case-control study. *Hum Exp Toxicol* 2006;25:167-73.
18. Camidge DR, Wood RJ, Bateman DN. The epidemiology of self-poisoning in the UK. *Br J Clin Pharmacol* 2003;56(6):613-9.

<http://www.sci.org.ir/persia/sel/baravord/f-jadval.htm>. September 15, 2006

<http://amar.sci.org.ir/Detail.aspx?Ln=F&no=78673&S=GW>. September 15, 2006

()

<http://amar.sci.org.ir/Detail.aspx?Ln=F&no=244456&S=GW>. September 15, 2006