

( )

//  
//

\*

*TNO AZL child quality of life*

(domain)

% /

%

(P < / )

/ / / / /

(OR= / ) (OR= / ) (OR= / )

)  
(P < / )

(P < / )

(

::

(.)

( )

(.)

( Injury )

(.)

.( )

.( )  
)

.( )

(

(Cross- sectional)

.( )

.( )

).

.(

.( )

.( )

/ ,

---

\_\_\_\_\_ TACQOL (HRQOL)  
\_\_\_\_\_ (TNO AZL child quality of life parent form)  
.( ) .( )

( )

: TACQOL



---

Split-half method Cronbach's Alpha

(Birth order)

/ / / / / /  
/ /  
( )

Chi-square trend  
(linear by linear association)

ICD-(International classification of diseases)

( ) 10

SPSS

% (response rate)  
( )

% / . / ± / / ± /

% /

Mann-Whitney

(quintile)

( )

( ) ( ) ( )

( )

(Odds ratio)

/ / /  
 Chi-square trend (Linear by linear association) % / / ) % /  
 .(P< / ) ( % / )  
 (% / ) (% / ) (% / )  
 .( )

P- value	( )
< /	/ / ( / ) / / ( / )
/	/ / / ( / ) / / ( / ) / / ( / ) / / ( / )
/	/ / ( / ) / / ( / ) / / ( / )
/	/ / ( / ) / / ( / ) / / ( / )

.( )

)

(

.(P &lt; / )

.(P &lt; / )

P- value	*	P- value	
	( % )		( % )
/	/ ( / / )	/	/ ( / / )
/	/ ( / / )	/	/ ( / / )
/	/ ( / / )	/	/ ( / / )
/	/ ( / / )	/	/ ( / / )

\*

P- value	IQ Range*		IQ Range*	
< /	/	/	/	/
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/
< /	/	/	/	/
/	/	/	/	/
/	/	/	/	/
< /	/	/	/	/

\* IQ Range: Inter quartile range

.( )

.( )

.( )

(% )

(Population-based)

.( )

.( )

.( )

.( )

.( )

TACQOL

( )

.( )

.( )

.( )

.( )

.( )

.( )

.( )

## **REFERENCES**

---

1. Morrongiello BA, Matheis S. Determinants of children's risk-taking in different social-situational contexts: The role of cognitions and emotions in predicting children's decisions. *J Appl Dev Psychol* 2004; 25(3): 303-26.
2. Reading R, Langford IH, Haynes R, Lovett A. Accidents to preschool children: comparing family and neighbourhood risk factors. *Soc Sci Med* 1999;48(3):321-30.
3. Laloo R, Sheihan A. Risk factors for childhood major and minor head and other injuries in a nationally representative sample. *Injury* 2003;34(4):261-6.
4. Hanneke O, Schellevis FG, Damen J, Vander Wouden JC, Van Suijlekom-smit LW, Koes BW. Epidemiology of unintentional injuries in childhood: a population-based survey in general practice. *Br J Gen Pract* 2005;55(517): 630-3.
5. Roudsari BS, Shadman M, Ghodsi M. Childhood trauma fatality and resource allocation in injury control programs in a developing country. *BMC public health* 2006;6:117.
6. Garzon DL. Contributing factors to preschool unintentional injury. *J Pediat Nurs* 2005;20(6):441-7.
7. Dalsanto JA, Goodman RM, Glic D, Jackson K. Childhood unintentional injuries: factors predicting injury risk among preschoolers. *J Pediat Psychol* 2004;29(4):273-83.
8. Lund J, Aaro LE. Accident prevention. Presentation of a model placing emphasis on humans, structural and cultural factors. *Saf Sci* 2004;42(4):271-324.
9. Turner C, McClure R, Pirozzo S. Injury and risk-taking behavior- a systematic review. *Accid Analysis Prev* 2004;36(1):93-101.
10. Morrongiello BA, Walpole B, Lasenby J. Understanding children's injury-risk behaviors: wearing safety gear can lead to increased risk taking. *Accid Anal Prev* 2007;39(3):618-23.



- 
11. Seid M, Varni JW, Segall D, Kurtin PS. Health-related quality of life as a predictor of pediatric healthcare costs: a two-way prospective cohort analysis. *Health Qual Life outcomes* 2004;2:48.
  12. O'Conner R. *Measuring Quality of Life in Health*. 1<sup>st</sup> ed. Edinburgh: Churchill Livingstone. 2004; P:112-6.
  13. Sun YH, Yu IT, Wong TW, Zhang Y, Fan YP, Guo SQ. Unintentional injuries at school in China- patterns and risk factors. *Accid Anal Prev* 2006;36(1):208-14.
  14. Field CA, Okeefe G. Behavioral and psychological risk factors for traumatic injury. *J Emerg Med* 2004; 26(1):27-35.
  15. Morrongiello BA, Lasenby J. Finding the daredevils: development of a sensation seeking scale for children that is relevant to physical risk taking. *Accid Anal Prev* 2006;38(6):1101-6.
  16. Vogels T, Verrips GHW, Verloove-Vanhorick SP, Fekkes M, Kamphuis RP, Koopman HM, et al. Measuring health-related quality of life in children: the development of the TACQOL parent form. *Qual Life Res* 1998;7(5):457-65.
  17. Soori H. Measuring health-related quality of life among primary school children in Ahwaz, Iran. *J Primary Prev* 2004;25(1):125-32.
  18. *International Statistical Classification of Diseases and Related Health Problems. Tenth Revision. Vols 1-3.* Geneva, World Health Organization, 1992-1994.
  19. Schwebel D, Barton BK. Contributions of multiple risk factors to child injury. *J Pediatr Psychol* 2005;30(7):553-61.
  20. Schwebel D, Bounds ML. The role of parents and temperament on children's estimation of physical ability: links to unintentional injury prevention. *J Pediatr Psychol* 2003; 28(7): 505-16.
  21. Soori H, Naghavi M. Childhood deaths from unintentional injuries in rural areas of Iran. *Inj Prev* 1998;4(3): 222-4.
  22. Soori H, Bhopal RS. Parental permission for children's independent outdoor activities: Implications for injury prevention. *Eur J Public Health* 2002;12(2):104-9.
  23. Koven R, Mccoll MA, Ellis P, Pickett W. Multiple risk behavior and its association with head and neck injuries: a national analysis of young Canadians. *Prev Med* 2005;41(1):240-6.
  24. Schwebel DC, Binder SC, Sales JM, Plumert JM. Is there a link between children's motor abilities and unintentional injuries ? *J Safety Res* 2003; 34(2): 135-41.
  25. Verrips EGH, Vogels TC, Koopman HM, Theunissen NCM, Kamphuis RP, Fekkes M, et al. Measuring health-related quality of life in a child population. *Eur J Public Health* 1999;9(3):188-93.