


//
//

()

*



:

case-control

:

)

()

(

Odd's Ratio
(% /)

Chi-square

(P < /)

(% /)

(OR = /)

:

:



()

%

%

Ervin ()

()

()



()
()

case-control

()

129k JPG

()

SPSS

chi- square

Odd's Ratio

CI,OR

() () ()

()

/ ± / % (CI) (% /) (% /)
 (% /) (% /)

.(p < /)

()			
	(%)	(%)	
/ ± /	(/)	(/)	(N=)
/ ± /	(/)	(/)	(N=)
<i>P</i> < 0/4 (N.S)	<i>P</i> < 0/8 (N.S)		

/ ± / / ± /

.(p < /)

(% /)

.(p < /) (% /)

/ (OR = /)

CI, OR	O.R	Pvalue	()	()	
/ - /	/	/	(/)	(/)	
			(/)	(/)	
			()	()	

/

Gardner

Gardner

Krebs

()

case - control

)

(

Krebs

.()

case- control

/

/

Krebs

()

.()

.()

() Ceylan

() Fatma

() Cervina

Rapid Maxillary

(RME) Expansion

Krebs

Retention

RME

.()

Krebs

RME .

.()

%

Tensor Veli Palatin

.()

RME .

Dimms

tensor-velipalatin

RME

levatorvelipalatin

RME

.()

Mourine

.()

Malocclusion

Malocclusion Deep bite Open bite

.()

Rach

REFERENCES

1. Tuz HH, Onder EM, Kisnisci RS. Prevalence of otologic complaints in patients with temporomandibular disorder. *Am J Orthod Dentofacial Orthop* 2003;123(6):620-3.
2. Roberts MW, Vadiakas GP. Primary posterior cross bite: Diagnosis and treatment. *J Clin Pediatr Dent* 1991;16(1):1-4.
3. Bernard L. Diseases of the nose throat and ear, 9th edition. 1996; 35. pp: 271-82.
4. William H, David D. Textbook of otolaryngology, 3rd edition. C.V. Mosby Company, St.Louis 1986. pp: 44-56.
5. Gray MD. A new aspect on the development of chronic middle ear disease. *Laryngo Otolgia* 1997;78(4):115-9.
6. Gardner GE, Kronman JH. Skeletal posterior cross bite and hearing. *Am J Orthod* 2003;58: 41-65.
7. Krebs AA. Posterior cross bite and conductive hearing. *Angle Orthod* 2000;57:219-55.
8. Parpella L. Principals of otolaryngology, 2nd edition, U.S.A 1992. pp:213-220.
10. Fatma TA. Rapid maxillary expansion and hearing threshold. *Angle Orthod* 2003;73(6):669-73.
11. Ceylan I, Demirel M. The effect of rapid maxillary expansion and conductive hearing. *Angle Orthod* 1996;66(4):301-7.
12. Cervina M, Guerra M. Conductive hearing and rapid maxillary expansion. *Am J Orthod* 1981;80(3):325-31.
13. Dimms DJ. Effect of rapid maxillary expansion on hearing threshold. *Angle Orthod* 2002;67(4):244-6.
14. Mourine AP, Tipton GA, Wates S. Occlusion in patients with otitis media. *Am J Orthod* 2001;15(2):83-9.
15. Rach GH, Van Bon MJ. Relationship between mouthbreathing and otitis media. *Gen Dent* 1993;89(6):278-80.