

//  
//

( )

\*

---

( ) :

( )

:

(% )

:

(CT Scan/MRI)

---

( )

(.)

(.)

---

( )

( )

( )

( )

)

)

(

:

(

Levy ( )

( )

( )

)

( )

Diffusion weighted MRI

)

(

(

(

)

( )

---

---

%
%
%
%
%
%
%
%
%

---

---

( )

%

.( )

---

)  
( ) (Focal slowing

---

( )

---

Levy .

Estan

( )

( )

( )

Stroke

Focal slowing

( )

( )

( )

( )

( )

( )

( )

Larrche Amiel ( )

( )

( )

( )

( )

levy

( )

## **REFERENCES**

---

1. Lynch JK, Hirtz DG, DeVeber G, Nelson KB. Report of National Institute of Pediatrics 2002; 109: 116-23.
2. Trauner DA, Chase C, Walker P, Wulfeck B. Neurologic profile of infants and children after perinatal stroke. *Pediatr Neurol* 1993; 9: 383-6.
3. Clancy R, Malin S, Laraque D, Baymgart S, Younkin D. Focal motor seizure heralding stroke in full term neonates. *Am J Dis Child* 1985; 139: 601-6.
4. Volpe JJ. Hypoxic ischemic encephalopathy: clinical aspects in *Neurology of Newborn*. USA: WB Saunders. 2001; PP: 315-30.
5. Levy SR, Abroms IF, Marshall PC, Rosquete EE. Seizures and cerebral infarction in the full term newborn. *Ann Neurol* 1985; 17: 366-70.
6. Mercuri E, Barnet A, Rutherford M, Guzzetta A, Haataja L, Cioni G, et al. Neonatal cerebral infarction and neuromotor outcome at school age. *Pediatrics* 2004; 113: 95-100.
7. Krishnamoorthy KS, Soman TB, Takeoka M, Schaefer PW. Diffusion-weighted imaging in neonatal cerebral infarction: clinical utility and follow up. *J Child Neurol* 2000; 15: 592-602.
8. Cocker SB, Beltran RS, Myers TF, Hmura L. Neonatal stroke: description of patients and investigation into pathogenesis. *Pediatr Neurol* 1988; 4: 219-33.
9. Perlman JM, Rollins NK, Evans D. Neonatal stroke: clinical characteristics and cerebral blood flow velocity measurements. *Pediatr Neurol* 1994; 11: 281-4.

- 
10. Estan J, Hope P. Unilateral neonatal cerebral infarction in full term infants. *Arch Dis Child* 1997; 76: F88- F93.
  11. Govaert P, Matthys E, Zecic A, Roelens F, Oostra A Vanzieleghem B. Perinatal cortical infarction within middle cerebral artery trunks. *Arch Dis Child Fetal Neonatal Ed* 2000; 82: F59- F63.
  12. Sreenan C, Bhargava R, Robertson MT. Cerebral infarction in the term newborn: clinical presentation and long - term outcome. *J Pediatr* 2000; 137: 351-5
  13. Nowak-Gotte U, Kries R, Gobel U. Neonatal symptomatic thromboembolism in Germany: two years survey. *Arch Dis Child* 1997; 76: F163- F 167.
  14. Larrche JCL, Amiel CE: Thrombose de latere sylvienne a la periode Neonateh. *Arch Fr Pediat* 1966; 23: 257-74.
  15. Mercuri E, Cowan F, Rutherford M, Acolet D, Pennock J, Dubovitz L. Ischaemic and haemorrhagic brain lesions in newborns with seizures and normal APGAR scores. *Arch Dis Child* 1995; 73: F67-F74.
  16. Koelfen W, Freund M, Varnholt V. Neonatal stroke involving the Middle cerebral artery in term infants: clinical presentation, EEG And imaging studies, and outcome .*Devel Med Child Neurol* 1995; 37: 204-12 .
  17. Guajardo L, Strauss A, Amster J. Idiopathic cerebral infarction and upper limb ischemia in neonates. *Am J Perinatol* 1994; 11: 119-22.
  18. Lovblad KO, Ruoss K, Guzman R. Diffusion-weighted MRI of middle cerebral artery stroke in a newborn. *Pediatr Radiol* 2001; 31: 374-6.
  19. Filipek DA, Krishnomoorthy KS, Davis KR, Kuehnle K. Focal cerebral infarction in the newborn: a distinct entity. *Pediatric Neurol* 1987; 3: 141-7.
  20. Hunt RW, Inder TE. Perinatal and neonatal ischemic stroke: A review. *Thromb Res* 2006; 118: 39-48.