

//
//

()

*

:

:

"

" "

"

.($P < /$)

"

":

($P < /$)

"

"

.($P \sim /$)

"

":

:

.()

%

(MS; Multiple Sclerosis)

(Thalamic Deep Brain Stimulation: DBS)

(Action Tremor)

MS

()

()

MS

()

MS

%

%

%

MS

()

Optotrak™

(NDI, Waterloo, Canada)

()

(Quality of life)

(AP)

()

()

()

()

(SI)

(ML)

"

"

()

()

" "

()

MATLAB

DBS

()

()

()

t

t

" " " "

"

()

(P = /) "

" (P = /) "

" "

()

" "

(x) (mm)

/	/
/	/
/	/
/	/
/	/
/	/
/	/
/	/
/	/
/	/

()

()

)

(

"

"



" " " "

()

(x) (mm)

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

"							"										
(ML)			(AP)				(SI)			(SI)			(ML)				"
()							()										
(×)							(×)										
/ / / / / /							/ / / / / /							AP			
/ / / / / /							/ / / / / /							ML			
/ / / / / /							/ / / / / /							SI			



(P < /)

"

"

(P > /)

() (P ~ /)

()

"

"

" " " (P)"

P			
-			
/	/	/	ML
/	/	/	SI
P			
/	/	/	AP
/	/	/	ML
/	/	/	SI

MS

()

MS

.()

MS

REFERENCES

-
1. Berk C, Carr J, Sinden M, Martzke J, Honey CR. Thalamic deep brain stimulation for the treatment of tremor due to multiple sclerosis: a prospective study of tremor and quality of life. *J Neurosurg* 2002; 97(4):815-20.
 2. Wishart HA, Roberts DW, Roth RM, McDonald BC, Coffey DJ, Mamourian AC, et al. Chronic deep brain stimulation for the treatment of tremor in multiple sclerosis: review and case reports. *J Neurol Neurosurg Psychiatry* 2003; 74:1392-7.
 3. Matsumoto J, Morrow D, Kaufman K, Davis D, Ahlskog JE, Walker A, et al. Surgical therapy for tremor in multiple sclerosis. *Neurology* 2001; 57:1876-82.
 4. Alusi SH, Glickman S, Aziz TZ, Bain PG. Tremor in multiple sclerosis. *J Neurol Neurosurg Psychiatry* 1999; 66:131-4.
 5. Alusi SH, Worthington J, Glickman S, Bain PG. A study of tremor in multiple sclerosis. *Brain* 2001; 124:720-30.
 6. Kurtzke JF. Rating neurologic impairment in multiple sclerosis: an expanded disability status scale (EDSS). *Neurology* 1983; 33:1444-52.
 7. Cella DF, Dineen K, Arnason B, Reder A, Webster KA, Karabatsos G. Validation of the functional assessment of multiple sclerosis quality of life instrument. *Neurology* 1996; 47:129-39.
 8. Diamond A, Jankovic J. The effect of deep brain stimulation on quality of life in movement disorders. *J Neurol Neurosurg Psychiatry* 2005;76:1188-93.
 9. Alusi SH, Worthington J, Glickman S, Findley LJ, Bain PG. Evaluation of three different ways of assessing tremor in multiple sclerosis. *J Neurol Neurosurg Psychiatry* 2001; 68:756-60.
 10. Liu X, Aziz TZ, Miall RC, Rowe J, Alusi SH, Bain PG, et al. Frequency analysis of involuntary movements during wrist tracking: A way to identify MS patients with tremor who benefit from thalamotomy. *Stereotact Funct Neurosurg* 2000; 74:53-62.
 11. Liu X, Miall C, Aziz TZ, Palace JA, Stein JF. Distal versus proximal arm tremor in multiple sclerosis assessed by visually guided tracking task. *J Neurol Neurosurg Psychiatry* 1999; 66:43-47.
 12. Erasmus LP, Sarno S, Albrecht H, Schwecht M, Pöllmann W, König N. Measurement of ataxic symptoms with a graphic tablet: standard values in controls and validity in Multiple Sclerosis patients. *J Neurosci Methods* 2001; 108:25-37.