

//
//

()

, ,

(-)

*

:

CP-Angle

:

()

(±)

:

%

(%)

(%)

(% /)

(% /)

(% /)

(%)

%

%

% /

±

House- Barkman Scale

:

()

:

CP-Angle

*

:

:

- : ,

:

:

:

% CP-Angle %

.()

) MRI

.()

CT Scan (

.()

EVD

MRI

supine sitting

.()

Cusa

Debulk .

.()

.()

supero anterior

()


Rongur

EVD

EVD CT Scan

[Downloaded from pajoohande.sbm.ac.ir on 2025-07-06]

severe) Fair (moderate) . House-Barkman Scale
 (House-Barkman Scale
 .() Good (mild) Excellent



(%)

()

.()

%

.(-)

)

)

.()

(

(

%

: % /

: % : % /

REFERENCES

1. Sampath P, Long DM. Acoustic Neuroma. In: Winn HR, editor. Youmans Neurological Surgery. 5th ed. New York: Saunders. 2003; PP: 1147-67.
2. Olivercroa H. Acoustic tumors. J Neurosurg 1967; 26: 6-13.
3. Sampath P, Rhines LD, Coel R, Long DM. Cranial nerve presentation in vestibular schwannoma surgery. Grit Rev Neurosurg 1998; 8: 86-96.
4. Murri A. Upon diagnosis of tumor of the cerebellum. Lancet 1978; 1: 291- 5.
5. Park CK, Jung HW, Kim JE, Son YJ, Paek SH, Kim DG. Therapeutic strategy for large vestibular schwannomas. J Neurooncol 2006; 77(2): 167-71.
6. Dandy WE. Results of removal of acoustic tumor by the unilateral approach. Arch surgery 1941; 42: 1026-37.
7. Harner SG, Ebersold MJ. Management of acoustic neuromas, 1978-1983. J Neurosurg 1985; 63(2): 175-9.
8. Meyer TA, Canty PA, Wilkinson EP, Hansen MR, Rubinstein JT, Gantz BJ. Small acoustic neuromas: surgical outcomes versus observation or radiation. Otol Neurotol 2006; 27(3): 380-92.
9. Bouchene M, Pavillon S, Zaouche S, Boulud B, Dubreuil C. [Predictive factors of facial palsy of the acoustic neurinoma after retrosigmoid surgery: 230 cases]. Ann Otolaryngol Chir Cervicofac 2006; 123(6): 319-24.
10. House WF. Case summaries. Arch otolaryngol 1968; 88: 586-91.
11. Elliot FA, Mckissock W. Acoustic neuroma: early diagnosis. Lancet 1989; 21: 189-91.