

*

•

•

• •

• •

$$/\pm/$$
$$/ \pm /)$$

•

1

.()

.()

()

.()

.()

Raiteri

()

() ()

Shih

) /

(pH= /

()

g

g

()

/ MgSO₄ KCl NaCl

NaH₂PO₄ NaHCO₃ / CaCl₂ ()

(% %)

/ pH

()

()

(LDH)

LDH ()

(LDH) ()

X-

()

LDH

Dietz

()

/ /)

()

(

()

()


±

-

(% /)

t ()
P
/ g
% (SDS)

% $\pm$ ()
(% $\pm$) LDH
.(n= P< /)
/ IC₅₀








(P< /)
K_m V_{max}
() Sutch

(/ $\pm$ /) K_m ()
(/ $\pm$ /)

/ $\pm$ / V_{max} (/)
/ $\pm$ /
.(P< /) $\pm$

SPSS
V_{max} K_m
.()



$P < /$: *).

(

LDH

()

()

:*)

(

$P < /$

()

REFERENCES

1. Zhang C, Malhotra SV. Increased paraoxon detection by acetylcholinesterase inactivation with ionic liquid additives. *Talanta* 2005; 67: 560-3.
2. Taylor P. Anticholinesterase agents. In: Hardman JG, Limbird LE, editors. *Goodman & Gillman's The Pharmacological basis of therapeutics*. 9th ed. McGraw Hill, 1996; P: 166-9.
3. Thierman H, Eyer P, Worek F, Szinicz L. Effects of oximes on muscle force and acetylcholinesterase activity in isolated mouse hemidiaphragms exposed to paraoxon. *Toxicology* 2005; 214: 190-7.
4. Weinbroum AA. Pathophysiological and clinical aspects of combat anticholinesterase poisoning. *Br Med Bull* 2004; 72: 119-33.
5. Rocha ES, Swanson KL, Aracava Y, Goolsby JA, Maelicke A, Albuquerque EX. Paraoxon: cholinesterase-independent stimulation of transmitter release and selective block of ligand-gated ion channels in cultured hippocampal neurons. *J Pharmacol Exp Ther* 1996; 278: 1175-87.
6. Nagata K, Huang CS, Song JA, Narahash T. Direct actions of anticholinesterases on the neuronal nicotinic acetylcholine receptor channels. *Brain Res* 1997; 769: 211-8.
7. Haywood PT, Karalliedde L. Management of poisoning due to organophosphorus compounds. *Curr Anaesth Crit Care* 2000; 11: 331-7.
8. Emerson GM, Gray NM, Jelinek GA, Mountain D, Mead HJ. Organophosphate poisoning in Perth, Western Australia, 1987-1996. *J Emerg Med* 1999; 17(2): 273-7.
9. Doctor BP, Saxena A. Bioscavengers for the protection of humans against organophosphate toxicity. *Chem Biol Interact* 2005; 157-158: 167-71.
10. McDonough JRJH, Shih TM. Neuropharmacological mechanisms of nerve agent-induced seizure and neuropathology. *Neurosci Biobehav Rev* 1997; 21: 559-79.
11. Shih TM, McDonough JrJH, Koplovitz I. Anticonvulsants for soman-induced seizure activity. *J Biomed Sci* 1999; 6: 86-96.
12. Bradford HF. Glutamate, GABA and epilepsy. *Prog Neurobiol* 1995; 47(6): 477-511.
13. Ghasemi A, Sadidi A, Khoshbaten A, Asgari A. Paraoxon inhibits GABA uptake in brain synaptosomes. *Toxicol In Vitro* 2007; 21(8): 1499-504.

14. Whittaker VP. The morphology of fractions of rat forebrain synaptosomes separated on continuous sucrose density gradients. *Biochem J* 1968; 106(2): 412-7.
15. Duarte A, Santos MS, Seica R, Oliveira CR. Oxidative stress affects synaptosomal gamma-aminobutyric acid and glutamate transport in diabetic rats: the role of insulin. *Diabetes* 2004; 53(8): 2110-6.
16. Raiteri L, Giovedi S, Benfenati F, Raiteri M, Bonanno G. Cellular mechanisms of the acute increase of glutamate release induced by nerve growth factor in rat cerebral cortex. *Neuropharmacology* 2003; 44: 390-402.
17. Bradford MM. A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 1976; 72: 248-54.
18. Moss DW, Henderson AR. Clinical enzymology. In: Burtis CA, Ashwood, ER, editors. *Tietz Textbook of Clinical Chemistry*. 2nd ed. WB Saunders Company. 1994; P: 812-8.
19. Dietz AA, Garry PJ, Madera-Orsini F, Strever BC. Colorimetric determination of serum cholinesterase and its genetic variants by the propionylthiocholine dithiobis (nitrobenzoic acid) procedure. *Clin Chem* 1973; 19: 1309-13.
20. Sutch RJ, Davies CC, Bowery NG. GABA release and uptake measured in crude synaptosomes from genetic absence epilepsy rats from Strasburg (GAERS). *Neurochem Int* 1999; 34: 415-25.
21. Palacin M, Estevez R, Bertran J, Zarzosa A. Molecular biology of mammalian plasma membrane amino acid transporters. *Physiol Rev* 1998; 78: 969-1054.
22. Lu CC, Hilgemann DW. GAT1 (GABA: Na⁺: Cl⁻) cotransporter function, steady state studies in giant xenopus oocyte membrane patches. *J Gen Physiol* 1999; 114: 429-44.
23. Duarte A, Santos M, Seica R, Oliveira C. Effect of oxidative stress on the uptake of the GABA and glutamate in synaptosomes isolated from diabetic rat brain. *Neuroendocrinology* 2000; 72: 179-86.
24. Zhang Y, Liu GQ. Sodium and chloride-dependent high and low affinity uptakes of GABA by brain capillary endothelial cells. *Brain Res* 1998; 808: 1-7.
25. Szilagyi M, Gray PJ, Dawson RM. Effects of the nerve agents soman and tabun on the uptake and release of GABA and glutamate in synaptosomes of guinea pig cerebral cortex. *Gen Pharmacol* 1993; 24: 663-8.
26. Whitworth TL, Quick MW. Substrate-induced regulation of gamma-aminobutyric acid transporter trafficking requires tyrosine phosphorylation. *J Biol Chem* 2001; 276(46): 42932-7.
27. Bahena-Trujillo R, Arias-Montano JA. [³H] gamma-aminobutyric acid transport in rat substantia nigra pars reticulata synaptosomes: pharmacological characterization and phorbol ester-induced inhibition. *Neurosci Lett* 1999; 274(2): 119-22.
28. Vatanparast J, Janahmadi M, Asgari A. The functional consequences of paraoxon exposure in central neurones of land snail, *Caucasotachea atrolabiata*, are partly mediated through modulation of Ca²⁺ and Ca²⁺-activated K⁺-channels *Comp. Biochem Physiol* 2006; 143: 464-72.
29. Lotti M. Cholinesterase inhibition: complexities in interpretation. *Clin Chem* 1995; 41: 1814-8.

30. Wonnemann M, Singer A, Muller WE. Inhibition of synaptosomal uptake of 3H-L-glutamate and 3H-GABA by hyperforin, a major constituent of St. John's Wort: the role of amiloride sensitive sodium conductive pathways. *Neuropsychopharmacology* 2000; 23(2): 188-97.
31. Cecchini AL, Soares AM, Giglio JR, Amara S, Arantes EC. Inhibition of L-glutamate and GABA synaptosome uptake by crotoxin, the major neurotoxin from *crotalus durissus terrificus* venom. *J Venom Anim Toxins Incl Trop Dis* 2004; 10: 260-79.
32. Patrylo PR, Spencer DD, Williamson A. GABA uptake and heterotransport are impaired in the dentate gyrus of epileptic rats and humans with temporal lobe sclerosis. *J Neurophysiol* 2001; 85(4): 1533-42.
33. Dam K, Seidler FJ, Slotkin TA. Chlorpyrifos releases norepinephrine from adult and neonatal rat brain synaptosomes. *Dev Brain Res* 1999; 118(1-2): 129-33.