

//
//

()

*

(311) narrow – band UVB (UV)

%

:

UVB

/ ±

()

:

/ ± /

(PASI score)

(MED)

(MED)

PASI score

:

(%)

MED

:

:

%

(.)

(UVR)

Parrish ()

PUVA

Parrish

() Trehan Taylor

Jaenicke

UVB

UVB

() MED

narrow-band UVB

PASI

PUVA

()

()

UVR

()

narrow-band UVB

UVB

hand piece

()

()

()

Asawanoda

() stable

/

MED

()

()

()

broad-or narrow-band UVB

/ ±

PUVA

MED

/ J/cm2

J/cm2

MED

/ J/cm2

HIV

MED

MED

PASI score

/ ± /

MED

/ ± / / ± / ± /

/ ± /

(P < /)

PASI score

induration

)

(MED

MED

PASI score

MED

() ()

PASI score

%

(remission)

() ()

()

SPSS

Paired t-Test

PASI score

Mann-Whitney Mantel-hanszel

/

P < /

PASI score

/

Fitzpatrick

T cell MED
 . () MED MED
 .
 clearance UVB PASI score
 induration scale
 % %
 (Mann-Whitney)
 . ()
 % . (mantel-hanszel) PASI score
 % clearance
 . PASI score .
 % / ± / / ± /
 acitretin
 %
 . ()
 () Asawadona
 .
 ()
 Trehan
 % UV

PUVA / PASI score
/ PASI score
/ / /

PUVA
() (/) PASI score
PASI score

MED

()

Palmoplantar PASI score clearance

PASI score

stable

MED

MED

MED

remission

REFERENCES

1. Trehan M, Carles R, Tatkir CR. Medium dose 308-nm excimer laser for the treatment of psoriasis. *J Am Acad Dermatol* 2002; 47(5): 701-8.
2. Trehan M, Taylor CR. High-dose 308-nm excimer laser for the treatment of psoriasis. *J Am Acad Dermatol* 2002; 46(5): 732-7.
3. Rodewald, Housman TS, Mellen BG, Feldman SR. The efficacy of 308 nm laser treatment of psoriasis compared to historical controls. *Dermatol online J* 2001; 7(2): 4.

-
4. Asawanonda P, Anderson RR, Chang Y, Taylor CR. 308-nm excimer laser for the treatment of psoriasis: a dose-response study. *Arch Dermatol* 2000; 136(5): 619-24.
 5. Feldman SR, Mellen BG, Housman TS, Fitzpatrick RE, Geronemus RG, Friedman PM, et al. Efficacy of the 308-nm excimer laser for treatment of psoriasis: results of a multicenter study. *J Am Acad Dermatol* 2002; 46(6): 900-6.
 6. Taneja A, Trehan M, Taylor CR. 308-nm excimer laser for the treatment of psoriasis: induration-based dosimetry. *Arch Dermatol* 2003 Jun; 139(6): 759-64.
 7. Mafong EA, Friedman PM, Kauvar AN, Bernstein LJ, Alexiades-Armenakas M, Geronemus RG. Treatment of inverse psoriasis with the 308 nm excimer laser. *Dermatol Surg* 2002; 28(6): 530-2.
 8. Levell NJ, Shuster S, Munro CS, Friedmann PS. Remission of ordinary psoriasis following a short clearance course of cyclosporine. *Acta Derm Venereol* 1995; 75: 65-9.