

/ /
/ /

()

, ,

*

:

()

⌘ :

NIOSH

,

⌘ :

%

-

%

⌘

%

⌘

:

⌘

,

:

.

.

.

. ()

. ()

)

()

(

. ()

.

. ()

. ()

. ()

Daneshvar

. ()

pH

)

/

%


(

pH<

ppm

()

. ()



. ()


/	
/	(Soner
	. ()
	2) $\text{CrO}_4^{2-}/\text{Cr}_2\text{O}_7^{2-} + \text{Organic Matter} + \text{H}^+ \rightarrow$
	$\text{H}_2\text{O} + \text{CO}_2$ (and/or Oxidized Organic Matter)
	(
	. ()
	(
	()
	(-)
	()
	()
	()

(

()

()

()



NIOSH

()

(Colorimetric)

()

CV

(Recovery)

()

(

- -


()

()

$$/ \quad / \quad / \quad / \quad /)$$

(

	mg/kg		mg/kg	
/	/	/	/	
/	/	/	/	
/	/	/	/	
/	/	/	/	
/	/		/	



— —

(

()

)

2

•

1)

(

2

— —

(

/

()


(

)

()

—

	mg/kg		mg/kg	
/	/	/	/	
/	/	/	/	
/	/	/	/	
/	/	/	/	
/	/		/	



/

) - (

(

:

--

-

)

) (

(

(

	mg/kg		mg/kg	
	/		/	
	/		/	
/	/		/	
/	/		/	
/	/		/	

	mg/kg		mg/kg	
/	/		/	
	*		/	
	*		/	

*

.(-)

pH

.()

()

()

(C)

pH

(-)

.(-)

pH

REFERENCES

1. Mukherjee AB. Chromium in the environment of Finland. *Sci Total Environ* 1998;217(1-2):9-19.
2. Fryzek JP, Mumma MT, McLaughlin JK, Henderson BE, Blot WJ. Cancer Mortality in Relation to Environmental Chromium Exposure. *J Occup Environ Med* 2001; 43(7):635-40.
3. Cervantes C, Campos-García J, Devars S, Gutiérrez-Corona F, Loza-Tavera H, Torres-Guzmán JC, et al. Interactions of chromium with microorganisms and plants. *FEMS Microbiol Rev.* 2001 May;25(3):335-47.
5. Sinha S, Saxena R, Singh S. Chromium induced lipid peroxidation in the plants of *Pistia stratiotes* L.: role of antioxidants and antioxidant enzymes. *Chemosphere.* 2005;58(5):595-604.
6. Rai V, Vajpayee P, Singh SN, Mehrotra S. Effect of chromium accumulation on photosynthetic pigments, oxidative stress defense system, nitrate reduction, proline level and eugenol content of *Ocimum tenuiflorum* L. *Plant Sci* 2004; 167(5):1159-69.
7. Shanker AK, Cervantes C, Loza-Tavera H, Avudainayagam S. Chromium toxicity in plants. *Environ Int* 2005 ;31(5):739-53.
8. Fang H, Smith JD, Peaslee KD. Study of spent refractory waste recycling from metal manufacturers in Missouri. *Resour Conserv Recyc* 1999; 25:111-24.
9. Shimaoka T, Hanashima M. Behavior of stabilized fly ashes in solid waste landfill. *Waste Manage* 1996; 16(5-6): 545-54.
10. Orloff K, Falk H. An International perspective on Hazardous waste practices. *Int J Hyg Environ Health.* 2003;206(4-5):291-302.
11. Daneshvar N, Salari D, Aber S. Chromium adsorption and Cr(VI) reduction to trivalent chromium in aqueous solutions by soya cake. *J Hazard Mater.* 2002 Sep 2;94(1):49-61.
12. Altundogan HS. Cr(VI) removal from aqueous solution by iron (III) hydroxide-loaded sugar beet pulp. *Process Biochem* 2005; 40(3-4): 1443-52.
13. Burhanettin Işıklı B, Demir TA, Akar T, Berber A, Ürer SM, Kalyoncu C. Effects of chromium exposure from a cement factory. *Environ Res* 2003; 91: 113-8.
14. NIOSH [1994] Chromium, Hexavalent; Method 7600. Eller PM, Cassinelli ME, editors. NIOSH Manual of Analytical Methods (NMAM), 4th ed. Cincinnati, OH: National institute for occupational safety and health, DHHS(NIOSH) Publication No.94-113.
15. Erdem M, Gür F, Tümen F. Cr (VI) reduction in aqueous solutions by siderite. *J Hazard Mater* 2004;113: 217-22.

16. Mullet M, Boursiquot S, Ehrhardt JJ. Removal of hexavalent chromium from solutions by mackinawite, tetragonal FeS. *Colloids surf, A Physicochem Eng Asp* 2004; 244 : 77-85.
17. Xu XR, Li HB, Li XY, Gu JD. Reduction of hexavalent chromium by ascorbic acid in aqueous solutions. *Chemosphere* 2004; 57: 609–613.
18. Wang T, Li Z. High-temperature reduction of chromium (VI) in solid alkali. *J Hazard Mater* 2004; 112: 63-9.
19. Veeken A, Kalyuzhnyi S, Scharff H, Hamelers B. Effect of pH and VFA on hydrolysis of organic solid waste. *J Environ Eng* 2000;126(12):1076-81.
20. Lovley DR, Phillips EJ. Organic matter mineralization with reduction of ferric iron in anaerobic sediments. *Appl Environ Microbiol* 1986; 51: 683-9.