

()
//

*

EVL (EVL)
EVL (PPI) EVL
EVL mg EVL
/ ± / / ± / (P < /) / ± /
EVL EVL mg
EVL (EVL)

()

Stigmana

		(EVL)	
EVL		EVL	()
C B A		()	
()	Child - Turcott- Pugh		
		()	
		EVL	
		-	()
PPI	H2		()
Belsey Nissen		()	EVL
		()	%
		EVL	
		()	EVL
	Pentax EG2940		(PPI)
	Total	EVL	PPI
		EVL	
Boston Wilson Cook			
		EVL	

/

mm

%

±

Independent t-test

Chi-square

P<0/05

Fisher's exact test

- EVL Cap

(

Cap

)

-

Cap

cap

/ ± /

/ ± /

(P = /)

NPO

(P = /)

(P = /)

(P = /)

mg

Child C Child B

EVL

(P = /)

(P = /)

(P = /)

EVL

(P = /)

(P < /)

EVL

Child B Child C

Child C Child B

EVL

Child B

/ ± /

/ ± /

Child C

Child C

/ ± /

(/ ± /)

EVL

(Child)

Child C

Child B

P-value	(n=)	(n=)	P-value	(n=)	(n=)	P-value	(n=)	(n=)
/	/ ± /	/ ±	/	/ ± /	/ ± /	/	/ ± /	/ ± /
< /	/ ± /	/ ± /	/	/ ± /	/ ± /	< /	/ ± /	/ ± /

(mm²)

Mean ± SD

*

EVL

() ()

Gimson ()

PPI ()

Shaheen . EVL

Pantoprazol

EVL

Pantoprazol

Gark

() - Pantoprazol

.()

EVL

()

()

EVL

PPI

Child - Turcott- Pugh

mg

.()

EVL

EVL

EVL

REFERENCES

1. Kim T, Shijo H, Kokawa H, Tokumitsu H, Kubara K, Ota K, et al. Risk factors for hemorrhage from gastric fundal varices. Hepatology 1997;25: 307-12.
2. Sanyal AJ, Purdum PP 3rd, Luketic VA, Schiffman ML. Bleeding gastroesophageal varices. Semin Liver Dis 1993;13:328-42.
3. Stiegmann GV, Goff JS, Sun JH, Davis D, Silas D. Technique and early clinical results of endoscopic variceal ligation (EVL). Surg Endosc 1989;3(2):73-8.
4. Laine L, el-Newehi HM, Migikovsky B, Sloane R, Garcia F. Endoscopic ligation compared with sclerotherapy for the treatment of bleeding esophageal varices. Ann Intern Med. 1993;119:1-7.
5. Stiegmann GV, Goff JS, Michaletz-Onody PA, Korula J, Lieberman D, Saeed ZA, et al. Endoscopic sclerotherapy as compared with endoscopic ligation for bleeding esophageal varices. N Engl J Med 1992;326:1527-32.

6. Laine L, El-Newehi HM, Migikovsky B, Sloane R, Garcia F. Endoscopic ligation compared with sclerotherapy for the treatment of bleeding esophageal varices. *Ann Intern Med* 1993; 119(1):1-7.
7. Gimson AE, Ramage JK, Panos MZ, Hayllar K, Harrison PM, Williams R, et al. Randomised trial of variceal banding ligation versus injection sclerotherapy for bleeding esophageal varices. *Lancet* 1993;342(8868):391-4.
8. Lo GH, Lai KH, Cheng JS, Hwu JH, Chang CF, Chen SM, et al. A prospective, randomized trial of sclerotherapy versus ligation in the management of bleeding esophageal varices. *Hepatology* 1995;22(2):466-71.
9. Hou MC, Lin HC, Kuo BIT, Chen CH, Lee FY, Lee SD. Comparison of endoscopic variceal injection sclerotherapy and ligation for the treatment of esophageal variceal hemorrhage: a prospective randomized trial. *Hepatology* 1995;21(6):1517-22.
10. Sarin SK, Govil A, Jain AK. Prospective randomized trial of endoscopic sclerotherapy versus variceal band ligation for esophageal varices: influence on gastropathy, gastric varices and variceal recurrence. *J Hepatol* 1997; 26: 826-32.
11. Young MF, Sanowski RA, Rasche R. Comparison and characterization of ulcerations induced by endoscopic ligation of esophageal varices versus endoscopic sclerotherapy. *Gastrointest Endosc* 1993;39:119-22.
12. Schoonbroodt D, Zipf A, Jung M. Local necrosis and fatal perforation of oesophagus after endoscopic ligation. *Lancet* 1994;344(8933):1365.
13. Marks RD, Arnold MD, Baron TH. Gross and microscopic findings in the human esophagus after esophageal variceal band ligation: a postmortem analysis. *Am J Gastroenterol* 1993;88:272-4.
14. Gimson AE, Ramage JK, Panos MZ, Hayllar K, Harrison PM, Williams R, et al. Randomised trial of variceal banding ligation versus injection sclerotherapy for bleeding oesophageal varices. *Lancet* 1993;342:391-394.
15. Cotton P, Williams CB. Practical Gastrointestinal Endoscopy. Cambridge, MA: Blackwell science. 1996.
16. Cholongitas E, Papatheodoridis GV, Vangeli M, Terreni N, Patch D, Burroughs AK. Systematic review: The model for end-stage liver disease-should it replace Child-Pugh's classification for assessing prognosis in cirrhosis? *Aliment Pharmacol Ther*. 2005; 22(11-12):1079-89.
17. Jalan R, Hayes PC. UK guidelines on the management of variceal haemorrhage in cirrhotic patients. *British Society of Gastroenterology. Gut* 2000;46(Suppl 3-4): III 1-III 15.
18. Toyoda H, Fukuda Y, KatanoY, Ebata M, Nagano K, Morita K, et al. Fatal bleeding from a residual vein at the esophageal ulcer base after successful endoscopic variceal ligation. *J Clin Gastroenterol* 2001;32: 158-60.
19. Van Vlierberghe H, De Vos M, Hautekeete M, Elewaut A. Severe bleeding following endoscopic variceal ligation: should EVL be avoided in Child C patients? *Acta Gastroenterol Belg*. 1999;62(2):175-7.

-
20. Garg PK, Sidhu SS, Bhargava DK. Role of omeprazole in prevention and treatment of postendoscopic variceal sclerotherapy esophageal complications: Double-blind randomized study. *Dig Dis Sci* 1995;40(7):1569-74.
 21. Gimson A, Polson R, Westaby D, Williams R. Omeprazole in the management of intractable esophageal ulceration following injection sclerotherapy. *Gastroenterology* 1990;99(6):1829-31.
 22. Shaheen NJ, Stuart E, Schmitz SM, Mitchell KL, Fried MW, Zacks S, et al. Pantoprazole reduces the size of postbanding ulcers after variceal band ligation: a randomized, controlled trial. *Hepatology* 2005;41(3):588-94.
 23. Guglielmi A, Ruzzencnte A, Sandri M, Kind R, Lombardo F, Rodella L, et al. Risk assessment and prediction of rebleeding in bleeding gastroduodenal ulcer. *Endoscopy* 2002;34:778-86.
 24. Pasparis GA, Charoniti I, Papanikolaou N, Vardas F, Chlouverakis G. A prospective, randomized comparison of 10-Fr versus 7-Fr bipolar electrocoagulation catheter in combination with adrenaline injection in the endoscopic treatment of bleeding peptic ulcers. *Am J Gastroenterol* 2003;98:2192-7.
 25. Laine L, Stein C, Sharma V. Randomized comparison of ligation versus ligation plus sclerotherapy in patients with bleeding esophageal varices. *Gastroenterology* 1996;110:529-33.
 26. Laine L, Cook D. Endoscopic ligation compared with sclerotherapy for treatment of esophageal variceal bleeding: a meta-analysis. *Ann Intern Med* 1995;123:280-7.