

()

//
//

*

<i>EVL</i>	<i>(EVL)</i>	:
<i>EVL</i>	<i>(PPI)</i>	<i>EVL</i>
		<i>EVL</i>
<i>EVL</i>		<i>EVL</i>
	<i>mg</i>	
	<i>EVL</i>	
		:
	<i>/ ± /</i>	
		<i>/ ± /</i>
	<i>(P < /)</i>	<i>/ ± /</i>
<i>EVL</i>		<i>mg</i>
	<i>EVL</i>	:
	<i>(EVL)</i>	

()

Stigmana

				(EVL)	
		EVL		EVL	()
				()	
		C B A		()	
()		Child - Turcott- Pugh			
					()
				EVL	
				-	()
PPI	H2				()
		Belsey Nissen		()	EVL
				()	%
					EVL
				()	EVL
		Pentax EG2940			(PPI)
		Total		EVL	PPI
		EVL			
Boston	Wilson	Cook			
		EVL			

mm

%

±

Independent t-test

Chi-square

P<0/05 .

Fisher's exact test

	-	EVL	Cap
()
Cap			
		-	
Cap		cap	
		-	

/ ± /

/ ± /

(P = /)

NPO

(P = /)

(P = /)

(P = /)

(P = /)

mg

Child C Child B

EVL

(P = /)

(P = /)

(P = /)

EVL

(P = /)

(P < /)

EVL

Child B Child C

Child C Child B

EVL

Child B

/ ± /

/ ± /

Child C

Child C

/ ± /)

(/ ± /

EVL

(Child)

Child C

Child B

P-value

(n=)

(n=)

P-value

(n=)

(n=)

P-value

(n=)

(n=)

/

/ ± /

/ ±

/

/ ± /

/ ± /

/

/ ± /

/ ± /

*

< /

/ ± /

/ ± /

/

/ ± /

/ ± /

< /

/ ± /

/ ± /

*

(mm²)

Mean ± SD

*

EVL

()

()

Gimson

()

PPI

()

Shaheen

EVL

EVL

Pantoprazol

Pantoprazol

Gark

() - Pantoprazol
.()

EVL

()

()

EVL

PPI

Child - Turcott- Pugh

mg

()

EVL

EVL

EVL

REFERENCES

1. Kim T, Shijo H, Kokawa H, Tokumitsu H, Kubara K, Ota K, et al. Risk factors for hemorrhage from gastric fundal varices. *Hepatology* 1997;25: 307-12.
2. Sanyal AJ, Purdum PP 3rd, Luketic VA, Shiffman ML. Bleeding gastroesophageal varices. *Semin Liver Dis* 1993;13:328-42.
3. Stiegmann GV, Goff JS, Sun JH, Davis D, Silas D. Technique and early clinical results of endoscopic variceal ligation (EVL). *Surg Endosc* 1989;3(2):73-8.
4. Laine L, el-Newihi HM, Migikovsky B, Sloane R, Garcia F. Endoscopic ligation compared with sclerotherapy for the treatment of bleeding esophageal varices. *Ann Intern Med.* 1993;119:1-7.
5. Stiegmann GV, Goff JS, Michaletz-Onody PA, Korula J, Lieberman D, Saeed ZA, et al. Endoscopic sclerotherapy as compared with endoscopic ligation for bleeding esophageal varices. *N Engl J Med* 1992;326:1527-32.

6. Laine L, El-Newihi HM, Migikovsky B, Sloane R, Garcia F. Endoscopic ligation compared with sclerotherapy for the treatment of bleeding esophageal varices. *Ann Intern Med* 1993; 119(1):1-7.
7. Gimson AE, Ramage JK, Panos MZ, Hayllar K, Harrison PM, Williams R, et al. Randomised trial of variceal banding ligation versus injection sclerotherapy for bleeding esophageal varices. *Lancet* 1993;342(8868):391-4.
8. Lo GH, Lai KH, Cheng JS, Hwu JH, Chang CF, Chen SM, et al. A prospective, randomized trial of sclerotherapy versus ligation in the management of bleeding esophageal varices. *Hepatology* 1995;22(2):466-71.
9. Hou MC, Lin HC, Kuo BIT, Chen CH, Lee FY, Lee SD. Comparison of endoscopic variceal injection sclerotherapy and ligation for the treatment of esophageal variceal hemorrhage: a prospective randomized trial. *Hepatology* 1995;21(6):1517-22.
10. Sarin SK, Govil A, Jain AK. Prospective randomized trial of endoscopic sclerotherapy versus variceal band ligation for esophageal varices: influence on gastropathy, gastric varices and variceal recurrence. *J Hepatol* 1997; 26: 826–32.
11. Young MF, Sanowski RA, Rasche R. Comparison and characterization of ulcerations induced by endoscopic ligation of esophageal varices versus endoscopic sclerotherapy. *Gastrointest Endosc* 1993;39:119-22.
12. Schoonbroodt D, Zipf A, Jung M. Local necrosis and fatal perforation of oesophagus after endoscopic ligation. *Lancet* 1994;344(8933):1365.
13. Marks RD, Arnold MD, Baron TH. Gross and microscopic findings in the human esophagus after esophageal variceal band ligation: a postmortem analysis. *Am J Gastroenterol* 1993;88:272-4.
14. Gimson AE, Ramage JK, Panos MZ, Hayllar K, Harrison PM, Williams R, et al. Randomised trial of variceal banding ligation versus injection sclerotherapy for bleeding oesophageal varices. *Lancet* 1993;342:391-394.
15. Cotton P, Williams CB. *Practical Gastrointestinal Endoscopy*. Cambridge, MA: Blackwell science. 1996.
16. Cholongitas E, Papatheodoridis GV, Vangeli M, Terreni N, Patch D, Burroughs AK. Systematic review: The model for end-stage liver disease-should it replace Child-Pugh's classification for assessing prognosis in cirrhosis? *Aliment Pharmacol Ther*. 2005; 22(11-12):1079-89.
17. Jalan R, Hayes PC. UK guidelines on the management of variceal haemorrhage in cirrhotic patients. *British Society of Gastroenterology*. *Gut* 2000;46(Suppl 3-4): III 1-III 15.
18. Toyoda H, Fukuda Y, Katano Y, Ebata M, Nagano K, Morita K, et al. Fatal bleeding from a residual vein at the esophageal ulcer base after successful endoscopic variceal ligation. *J Clin Gastroenterol* 2001;32: 158-60.
19. Van Vlierberghe H, De Vos M, Hautekeete M, Elewaut A. Severe bleeding following endoscopic variceal ligation: should EVL be avoided in Child C patients? *Acta Gastroenterol Belg*. 1999;62(2):175-7.

-
20. Garg PK, Sidhu SS, Bhargava DK. Role of omeprazole in prevention and treatment of postendoscopic variceal sclerotherapy esophageal complications: Double-blind randomized study. *Dig Dis Sci* 1995;40(7):1569-74.
 21. Gimson A, Polson R, Westaby D, Williams R. Omeprazole in the management of intractable esophageal ulceration following injection sclerotherapy. *Gastroenterology* 1990;99(6):1829-31.
 22. Shaheen NJ, Stuart E, Schmitz SM, Mitchell KL, Fried MW, Zacks S, et al. Pantoprazole reduces the size of postbanding ulcers after variceal band ligation: a randomized, controlled trial. *Hepatology* 2005;41(3):588-94.
 23. Guglielmi A, Ruzzenante A, Sandri M, Kind R, Lombardo F, Rodella L, et al. Risk assessment and prediction of rebleeding in bleeding gastroduodenal ulcer. *Endoscopy* 2002;34:778-86.
 24. Paspatis GA, Charoniti I, Papanikolaou N, Vardas F, Chlouverakis G. A prospective, randomized comparison of 10-Fr versus 7-Fr bipolar electrocoagulation catheter in combination with adrenaline injection in the endoscopic treatment of bleeding peptic ulcers. *Am J Gastroenterol* 2003;98:2192-7.
 25. Laine L, Stein C, Sharma V. Randomized comparison of ligation versus ligation plus sclerotherapy in patients with bleeding esophageal varices. *Gastroenterology* 1996;110:529-33.
 26. Laine L, Cook D. Endoscopic ligation compared with sclerotherapy for treatment of esophageal variceal bleeding: a meta-analysis. *Ann Intern Med* 1995;123:280-7.